


Many Slides Are From Prof. Tom Murphy (with Permission) Thank You Prof. Murphy



Earth at Night
More information available at:
<http://antwrp.gsfc.nasa.gov/apod/ap020810.html>

fossil fuels






Figure 1.1 Various forms of energy consumed in the United States since 1850. This type of graph is called a semilogarithmic plot, an explanation of the scales is given in the Appendix. Sources: *Historical Statistics of the United States, Colonial Times to 1970*, U.S. Department of Commerce, Bureau of the Census, 1975; U.S. Energy Information Administration, *Annual Energy Review*, 2003. (a) The wood data set from 1850 to 1970 is from the first source. (b) The wood data set from 1950 to 2003 is from the second source; it includes wood, black liquor (a byproduct of the wood-based paper production process), and wood waste.

Source	10 ¹⁸ Joules/yr (~Qbtu/yr)	Percent of Total	<h1>Global Energy: Where Does it Come From?</h1> <p>* Ultimately derived from our sun</p> <p>Courtesy David Bodansky (UW)</p>
Petroleum*	158	40.0	
Coal*	92	23.2	
Natural Gas*	89	22.5	
Hydroelectric*	28.7	7.2	
Nuclear Energy	26	6.6	
Biomass (burning)*	1.6	0.4	
Geothermal	0.5	0.13	
Wind*	0.13	0.03	
Solar Direct*	0.03	0.008	
Sun Abs. by Earth*	2,000,000	then radiated away	



Finding Oil



- Oil is trapped in special (rare) geological structures
- Most of the oil in the world comes from a few large wells
- About one in ten exploratory drillings strike oil
 - and this in places known to be oil-rich: get nothing in most of world

Q

The Oil Window

- Organic material must be deposited without decomposing
 - oxygen-poor environment: usually underwater with poor flow
- Material must spend time buried below 7,500 feet of rock
 - so that molecules are “cracked” into smaller sizes
- But must not go below 15,000 feet
 - else “cracked” into methane: gas, but no oil
- So there is a window from 7,500 to 15,000 feet
- Additional circumstances must be met
 - existence of “caprock” to keep oil from escaping: even a drop per second depletes 20 million barrels per million years
 - source rock must be porous and permeable to allow oil flow

The hydrocarbons

- All fossil fuels are essentially hydrocarbons, except coal, which is mostly just carbon
- Natural Gas is composed of the lighter hydrocarbons (methane through pentane)
- Gasoline is hexane (C₆) through C₁₂
- Lubricants are C₁₆ and up

	kJ per gram
<pre> H H-C-H </pre> Methane	55
<pre> H H H-C-C-H </pre> Ethane	51
<pre> H H H H-C-C-C-H </pre> Propane	50
<pre> H H H H H-C-C-C-C-H </pre> Butane	46
<pre> H H H H H H-C-C-C-C-C-H </pre> Pentane	48
<pre> H H H H H H H-C-C-C-C-C-C-H </pre> Hexane	48
<pre> H H H H H H H H-C-C-C-C-C-C-C-H </pre> Heptane	48
<pre> H H H H H H H H H-C-C-C-C-C-C-C-C-H </pre> Octane	48
<pre> H H H H H H H H H H-C-C-C-C-C-C-C-C-C-H </pre> Nonane	48
<pre> H H H H H H H H H H H-C-C-C-C-C-C-C-C-C-C-H </pre> Decane	48

(1 Cal = 4.184 kJ)

Read about Petroleum refining!

Hydrocarbon Reactions

- **Methane** reaction:

$$\text{CH}_4 + 2\text{O}_2 \rightarrow \text{CO}_2 + 2\text{H}_2\text{O} + \text{energy}$$

1 g 4 g 2.75 g 2.25 g 55 kJ
- **Octane** reaction:

$$2\text{C}_8\text{H}_{18} + 25\text{O}_2 \rightarrow 16\text{CO}_2 + 18\text{H}_2\text{O} + \text{energy}$$

1 g 3.51 g 3.09 g 1.42 g 48 kJ
- For every pound of fuel you burn, you get about three times that in CO₂
 - one gallon of gasoline → ~20 pounds of CO₂
 - occupies about 5 cubic meters (1300 gallons) of space

Q×2


Aside: Carbohydrate Reactions

- Typical carbohydrate (sugar) has molecular structure like: $[\text{CH}_2\text{O}]_N$, where N is some integer
 - refer to this as “unit block”: $\text{C}_6\text{H}_{12}\text{O}_6$ has $N=6$
- **Carbohydrate** reaction:

$$\begin{array}{ccccccc}
 [\text{CH}_2\text{O}]_N + \text{NO}_2 & \rightarrow & \text{NCO}_2 & + & \text{NH}_2\text{O} & + & \text{energy} \\
 1 \text{ g} & & 1.07 \text{ g} & & 1.47 \text{ g} & & 0.6 \text{ g} & & 17 \text{ kJ}
 \end{array}$$
- Less energy than hydrocarbons because one oxygen already on board (half-reacted already)
- For every pound of food you eat, exhale 1.5 lbs CO_2
 - Actually lose weight this way: 0.5 to 1.0 lbs per day in carbon
 - Must account for “borrowed” oxygen mass and not count it


So where does our petroleum go?

- Each barrel of crude oil goes into a wide variety of products
- Most goes into combustibles
- Some goes to lubricants
- Some goes to pitch and tar
- Some makes our plastics
- 40% of our energy comes from petroleum



Who's got the crude oil resources?

Crude Oil
World Total: 1,055.3
(Billion Barrels)



Data from several years back (Doesn't count discoveries yet to be made)

Countries with top oil reserves (World Oil Journal 2006)

Saudi Arabia	262 Gbbl (Billion barrels)
Iran	132 Gbbl
Iraq	115
Kuwait	101
United Arab Emrites	70
Venezuela	53
Former Soviet Union	48
Nigeria	37
Libya	34
USA	21.7
China	16
Mexico	12.3
Canada	12
Brazil	11.9
Algeria	11.3
Angola	9
Norway	8
Sudan	6.1
Indonesia	5.0
India	4

Let's get our barrels straight

- An oil barrel (bbl) is 42 gallons, or 159 liters
- In the U.S., we use about 24 bbl per year per person
 - average person goes through a barrel in 15 days
 - recall: 60 bbl/yr oil equivalent in all forms of energy: oil is 40% of our total energy portfolio
- That's **7.2 billion bbl/yr for the U.S.**
 - 20 million bbl/day
- For the **world, it's 25 billion bbl/year**
 - 69 million bbl/day
- **100 QBtu/yr = 17 Gboe/yr: world 400 QBtu/yr = 69 Gboe/yr**
(Gboe = billion barrel oil equivalent ~ 5.8 QBtu)

Production rates and years left

Country	Prod (Gbbl/year)	Reserves (Gbbl)	No. Prod. Wells	years left (R/P)
Saudi Arabia	3.3	262.7	1,560	80
Russia	2.9	69.1	41,192	24
U.S.	2.1	29.4	521,070	14
Iran	1.4	130.7	1,120	96
China	1.2	23.7	72,255	19
Mexico	1.2	16.0		13
Norway	1.0	10.1	833	10
U.A.E.	0.86	97.8		114
Canada	0.81	16.9	54,061	21
Kuwait	0.80	96.5	790	121


Notes on Table

- Not single country matching U.S. demand of 7.2 Gbbl/year
- Reserves:
 - Non-OPEC proved reserves: 173 Gbbl
 - OPEC reserves: 882 Gbbl
 - Total: 1055 Gbbl
- To maintain current production of 25 Gbbl/year...
 - this will last 42.5 years
 - means entries in previous table with longer timescales than this would have to step up production, *if they can*
 - may not be possible to extract oil fast enough for demand
 - Saudi Arabia used to produce at less than 100% capacity, now running full-out

Reserves, resources, economically recoverable

- People often used "proved reserves" but there is more to be discovered: total is "economically recoverable total resource". But depends upon price.
- E.g. in past 70% of oil left in ground (primary recovery)
- Secondary recovery (pump in water) get another 15%
- Tertiary recovery (pump in steam, CO₂) get more, but each step increases cost.
- E.g. amount of Uranium in world depends strongly on price willing to pay.
- Finally, politics often comes into "proved reserves" (OPEC countries probably set reserves based on politics, not geology)

How long will the world oil



- Not as long as you might think/hope
- We'll be spent before the century is done, but we'll have to scale down oil usage before then (in the next few decades)




Figure 2.2 Annual rate of petroleum production in the United States, including Alaska. Data through 1996 are from the American Petroleum Institute. Data from 1997 through 2003 are from the U.S. Energy Information Administration. The two data sets do not quite match due to differing definitions of petroleum. The rectangle at the right has an area representing the 134 billion barrels estimated to be remaining for future production. The proved reserves are from Table 2.2. The undiscovered recoverable petroleum is from Table 2.1.

How about the U.S. Supply?

- The estimated total U.S. supply is 230–324 billion bbl (currently used about 200 Gbbl of this)
- We've used >60% of this, leaving 130 billion barrels max
- Production is already down to 60% of peak
- At current rate of production, must be exhausted before 2070
- If we used only U.S. supply, we'd run out in 18 years!!
- If lower total above is right, less time





Figure 2.2 Annual rate of petroleum production in the United States, including Alaska. Data through 1996 are from the American Petroleum Institute. Data from 1997 through 2003 are from the U.S. Energy Information Administration. The two data sets do not quite match due to differing definitions of petroleum. The rectangle at the right has an area representing the 134 billion barrels estimated to be remaining for future production. The proved reserves are from Table 2.2. The undiscovered recoverable petroleum is from Table 2.1.

Q

Discovery must lead production

- There must be a lag between the finding of oil and delivery to market
- In the U.S., discovery peaked around 1950, production peaked in 1970




Various Estimates of Oil Remaining

- To date, we've used about 1000 billion barrels of oil worldwide
- We seem to have about this much left
 - halfway through resource
- There will be some future discovery still, but likely small beans
 - ANWR (Arctic National Wildlife Reserve): 5–10 Gbbl
~ 1 years' worth at U.S. consumption rate
- In any case, production unlikely to increase appreciably from this point forward
 - will soon fail to pump as fast as today's demand

Q


Worldwide Discovery and Production

- discovery peaked before 1970; production peak soon to follow



King Hubbert


- Geophysicist at the Shell lab in Houston
- In 1956, he presented a paper “Nuclear Energy and Fossil Fuels” at a meeting of the American Petroleum Institute in San Antonio
- He made predictions of the peak year of US oil production based on two estimates of the ultimate production





(Dave Rutledge: Caltech 2007)


The Hubbert Peak Idea

- Hitting new oil field must precede assessment of oil capacity
- Discovery peak (numerical assessment) must follow hits
- Production peak follows discovery (assessment)
- Area under three curves the same (total oil resource)
- Deffeyes estimates that we've hit 94%, discovered 82%, and produced 50% as of about 2005





Growth-Rate Plot for US Crude Oil




- EIA data (cumulative from 1859, open symbols 1900-1930, closed symbols 1931-2006)


(Dave Rutledge: Caltech 2007)

Same fit, in rate history plot

- The best-fit line on the previous plot produces a decent fit to the rate history of oil production in the U.S.
- Supports the peak position well, and implies a total resource of about 225 Gbbl
- In this case, much proven reserves (22Gbbl) will not increase as many expect!



World Data




- After 1983, world data follows logistic curve
 - shows us halfway along 2,000 Gbbl at 2005
 - implies we're at the peak right about now

2xQ




British Coal Production

(Slides from Dave Rutledge: Caltech: 2007)




- Data from the US National Bureau of Economic Research (1854-1876), the Durham Coal Mining Museum (1877-1956), and the British Department of Trade and Industry (1957-2006)
- In the peak production year, 1913, there were 3,024 mines

Growth-Rate Plot for British Coal




- 1854-2006, 1853 cumulative from William Jevons, *The Coal Question*
- Already near the trend line in 1854

Remaining Production for British Coal




- Data from the UK Department of Trade and Industry (1993-2006)
- 6 producing underground mines — several with less than ten years of coal
- 35 strip mines are producing, but there are difficulties in getting permits for new mines

Reserves vs Remaining Production




- 1864 reserves from Edward Hull of the Geological Survey
- Other data from the World Energy Council Surveys of Energy Resources
- Resources include seams of 2ft or more at depths of 4000ft or less

Reserves-to-Production Ratio for UK Coal



- 1864 reserves from Edward Hull of the Geological Survey
- Other data from the World Energy Council Surveys
- Current R/P ratio is 7 years

How Much Oil do the Saudis Have?



- EIA data (open 1975-1990, closed 1991-2006), 1975 cumulative from Richard Nehring
- Matt Simmons was the first to call attention to this anomalous situation in his book, *Twilight in the Desert*

(Dave Rutledge: Caltech 2007)

Countries with top oil reserves (World Oil Journal 2006)

Saudi Arabia	262 Gbbl (Billion barrels) (Rutledge says only 90!)
Iran	132 Gbbl
Iraq	115
Kuwait	101
United Arab Emirates	70
Venezuela	53
Former Soviet Union	48
Nigeria	37
Libya	34
USA	21.7
China	16
Mexico	12.3
Canada	12
Brazil	11.9
Algeria	11.3
Angola	9
Norway	8
Sudan	6.1
Indonesia	5.0
India	4

Shouldn't we therefore discourage oil usage?

- In this country, so far no such thing!
- U.S. taxes on gasoline are 6.5 times lower than in most industrialized countries (about 32 cents per gallon in the U.S.)
- Little meaningful increase in CAFE or efficiency standards
- Efforts on the part of the U.S. to keep oil prices low have lead to numerous questionable actions on the international scene


Q

Natural Gas

- Extracted as oil-drilling byproduct
 - was once burned off at well head as means of disposal
- Mostly methane, some ethane, and a little propane, butane
- 2 times cheaper than electricity per energy content, comparable to gasoline per joule
 - But getting more expensive; in 2004, nat gas was 3.5 times cheaper than electricity, now only 2.1 times cheaper than electricity (for same energy) (and 2.5 times cheaper than current gasoline)
- Well-suited to on-the-spot heat generation: water heaters, furnaces, stoves/ovens, clothes dryers
 - more efficient than using fossil-fuel-generated electricity

Distribution of natural gas

- Impractical to ship: must route by pipe
- 1.3 million miles of pipe (250,000 miles of mains)




How much do we use, and where do we get it?

- In 2003, we used 21.8 Tcf (Tera-cubic feet, or 10^{12}ft^3); about 23 QBtu (23% of total)
 - (Luckily 1QBtu \sim 1 Tcf nat gas)
- Out of the 21.8 tcf used, 88% was domestic
 - 11.8% from Canada
 - 0.08% from Algeria (shipped in liquefied form)
 - 0.03% from Mexico
- Total U.S. has used about 1,100 Tcf to date = about 1100 QBtu = about 190 Gboe worth of nat gas.
- You pay about SDG&E about \$1.00/therm (they pay about \$0.50/therm; therm (=100,000Btu) is about 100cf of nat gas (electricity is about \$0.11/kWh => 1 therm worth of electricity costs about \$3.22.
- If car ran off nat gas cost would be per "gallon":


$$(125,000 \text{ Btu/gal}) (\$1/\text{therm})(1\text{therm}/100,000\text{Btu}) = \$1.25/\text{gal}$$
- If car ran off electricity cost would be per "gallon":

$$(125,000 \text{ Btu/gal}) (\$0.11/\text{kWh})(1\text{kWh}/3413 \text{ Btu}) = \$4.03/\text{gal}$$

How much do we have left?



- Estimated recoverable amount: 871 tcf
- 40 years at current rate
- Estimates like this *do* account for future discoveries
 - present proven reserves provide only 8 years' worth
 - Are discoveries going to be made as predicted? (2006 numbers now show proved reserves at about 204 tcf, not 189)
 - And above assumes we don't increase usage of this cleaner and cheaper energy source



Countries with top nat gas reserves (World Oil Journal 2006)

Russia	1689 (Tcf)	290 Gboe
Iran	965	160
Quatar	906	150
Saudi Arabia	243	41
UAE	205	35
USA	204	35
Nigeria	182	31
Algeria	160	27
Venezuela	151	26
Australia	120	20
Indonesia	92	16
Iraq	84	14
Norway	83	14
Egypt	67	11
Kazakhstan	65	11
Malaysia	58	10
Kuwait	57	10
China	56	10
Canada	54	9
Libya	52	9
Netherlands	51	9

Afghanistan and natural gas?

Check the article: by John Foster

[http://www.policyalternatives.ca/documents/National_Office_Pubs/2008/](http://www.policyalternatives.ca/documents/National_Office_Pubs/2008/A_Pipeline_Through_a_Troubled_Land.pdf)

A_Pipeline_Through_a_Troubled_Land.pdf

TAPI backed by U.S. runs through Taliban Kandhar areas; U.S. opposes IPI which would help Iran (both cost around 7 billion \$).

Map 1. Proposed Central Asian Gas Pipelines



World Natural gas

- Total proven reserves about 6200 Tcf ~ 1060Gboe ~ 6000 Qbtu, about same energy content as world's oil proven reserves
- U.S. only 3% of total
- Undiscovered amount quite uncertain
- Could also get methane from coal seams, deep sea hydrates; potentially very large amounts
- LNG: Transport at T=-260F makes 600 times smaller volume

Coal

- Coal is a nasty fuel that we seem to have a lot of
- Primarily carbon, but some volatiles (CO, CH₄)
- Reaction is essentially $C + O_2 \rightarrow CO_2 + \text{energy}$
- Energy content varies depending on quality of coal, ranging from 5–8 Cal/g
- Highly polluting because of large amounts of ash, sulphur dioxide, arsenic, and other pollutants, plus must dig up ground over large areas; more radioactivity from coal than nuclear (if ignore Chernoby!)

Coal


- Coal made differently from other fossil fuels and found differently
- Starting 300 million years ago, swamps
- Lies in strata called seams 2-8ft thick usually about 300 ft down
- In U.S. Rocky Mountain coal is cleanest, but not highest energy content.

American Coal



Western Coal






Use of Coal

- 88% of the coal used in the U.S. makes steam for electricity generation
- 7.7% is used for industry and transportation
- 3.5% used in steel production
- 0.6% used for residential and commercial purposes
- 0.00001% used on Halloween for trick-or-treaters


US Coal Production



- Data from the USGS (Robert Milici)
- Will consider the East and the West separately

(Dave Rutledge: Caltech 2007)


Anthracite in Pennsylvania



- Data from the USGS (Robert Milici)
- Anthracite is a grade of coal used for home heating that burns with little smoke

(Dave Rutledge: Caltech 2007)

Growth-Rate Plot for PA Anthracite



- Data from the USGS (Robert Milici) cumulative from 1800, symbols 1875-1995
- 16% of the 1913 reserves were eventually produced

(Dave Rutledge: Caltech 2007)

(1 tonne coal = 5.06 boe)


Estimated Worldwide Coal Reserves

Country	Amount (G tonne/Gboe)	Percentage of Total
United States	250 Gtonne / 1260 Gboe	25
Russia	230 / 1160	23
Europe	138 / 700	14
China	115 / 580	12
Australia	82 / 420	8.3
Africa	55 / 280	5.6
South America	22 / 110	2.2
Mex/Canada	7.7 / 40	0.8
Total	984 Gtonne / 5000 Gboe	100

Let's get our barrels straight

- An oil barrel (bbl) is 42 gallons, or 159 liters
- In the U.S., we use about 24 bbl per year per person
 - average person goes through a barrel in 15 days
 - recall: 60 bbl/yr oil equivalent in all forms of energy: oil is 40% of our total energy portfolio
- That's **7.2 billion bbl/yr for the U.S.**
 - 20 million bbl/day
- For the **world, it's 25 billion bbl/year**
 - 69 million bbl/day
- **100 Qbtu/yr = 17 Gboe/yr: world 400 Qbtu/yr = 69 Gboe/yr**
(Gboe = billion barrel oil equivalent ~ 5.8 QBtu)

When will coal run out?



- We use 10^9 tonnes of coal per year, so the U.S. supply alone could last as long as 250 years at current rate
- Using variable rate model, more like 75-100 years
 - especially relevant if oil, gas are gone
- This assumes global warming doesn't end up banning the use of coal
- Environmental concerns over extraction also relevant

Shale Oil

- Possibly 600–2000 billion barrels of oil in U.S. shale deposits
 - compare to total U.S. oil supply of max 230 billion bbl
- Economically viable portion may only be 80 billion bbl
- 8 times less energy density than coal
 - lots of waste rock: large-scale disposal problem
 - takes lots of water
- Maximum rate of extraction may be only 5% of our current rate of oil consumption
 - limited by water availability




Figure 2.8 Oil shale deposits in the Green River Formation of the western United States.

Fort McMurray, Alberta Oil Sands



Tar Sands

- Sand impregnated with viscous tar-like sludge
- Huge deposit in Alberta, Canada
 - 300 billion bbl possibly economically recoverable
 - Perhaps 1/3 of world total
- It takes two tons of sands to create one barrel of oil
 - energy density similar to that of shale oil, much less than coal
 - Needs to be heated => Canada nuclear plant just for that!
 - Takes lots of water
- In 2003, 1 million bbl/day produced
- 2002 production cost was \$20 per barrel, so economically competitive;


Canadian Oil Sands

- 1.0 Mb per day in 2005, increasing 8% per year
- 35Gb reserves for mining (comparable to one year of world oil production)
- 140Gb reserves for wells
 - Production with a steam process
 - Production and upgrading to synthetic crude oil use 25% of the oil energy equivalent in natural gas
 - Canadian gas reserves are 10Gboe (end of 2005)
 - Annual gas production is 12% of reserves per year
 - Challenges in meeting obligations under the Kyoto agreement

Summary of world fossil fuel sources


- Oil: 1000 Gbbl (trend) - 1500 Gbbl
- Nat gas: ~1000 Gboe (proved) -? (exploration not as complete as oil)
- Tar sands: ~500 Gboe (quite uncertain how much economically recoverable)
- Rutledge uses Hubbert trend analysis to estimate total liquid/gas hydrocarbons to be 3000Gboe; German govt. says 2700Gboe
- Coal: World Energy Council (used by DoE) says ~5000 Gboe, but Hubbert type trend analysis says only 3200 Gboe; IPCC uses old numbers of 18000 Gboe (important since burning this gives predictions of climate change, sea level rise, etc.)
- Shale oil: 80Gboe - 800Gboe or more depending on price, etc.
- Deep sea clathrate (methane hydrates): could be more energy in these than all of the above combined! (but no one has figured out how to get at them and to turn them in to useful energy)

World Hydrocarbon Production



- Cumulative normal (ultimate 4.6Tboe, lms fit for mean 2018, sd 35 years)
- IPCC scenarios assume that 11 to 15Tboe is available

Growth-Rate Plot for World Hydrocarbons



- Oil + natural gas + natural gas liquids like propane and butane
- Data 1965, 1972, 1981, 2006 *BP Statistical Review* (open 1960-1982, closed 1983-2005)
- The German resources agency BGR gives hydrocarbon reserves as 2.7Tboe
 - Expectation of future discoveries and future OPEC oil reserve reductions
 - Includes 500Gboe for non-conventional sources like Canadian oil sands




Figure 1-14. Per capita gross national product and average per capita power consumption for various countries of the world in 1971. This does not include the energy in the food that is consumed.

Energy is cheap! So what's the problem?

- We spend about \$20/day, or \$7,300/yr per person on energy in the U.S. (about 20% of GDP)
 - about 20% of GDP
 - saves us much more than 20% of our time (labor-saving devices, transportation, etc.)
- But we're running through our resources at a phenomenal rate
- Our world will see a profound change in the next century as we adjust to a world without gasoline

Table 2.2 Major Oil-Producing Countries

Country	Production ^a (10 ³ bbl/day)	Proved Reserves ^c (10 ⁹ bbl)	No. of Producing Wells ^d
Non-OPEC			
Canada	2,243	16.9	54,061
China	3,406	23.7	72,255
Egypt	623	3.6	
Mexico	3,339	16.0	
Norway	2,861	10.1	833
Russia	7,979	69.1	41,192
United Kingdom	2,123	4.5	
United States	5,731	29.4	521,070
Total Non-OPEC ^b	40,907		
OPEC			
Algeria	1,587	11.3	
Indonesia	1,190	4.4	
Iran	3,744	130.7	1,120
Iraq	1,101	115.0	1,685
Kuwait	2,176	96.5	790
Libya	1,415	36.0	
Nigeria	2,148	34.4	
Qatar	767	15.2	
Saudi Arabia	9,031	262.7	1,560
United Arab Emirates	2,351	97.8	
Venezuela	2,144	78.0	15,395
Total OPEC	27,654		

^aA seven-month daily average for 2003. U.S. Energy Information Administration, October 2004.

^bTotals are for all countries, not just those listed. World total is 68,561 × 10³ bbl/day.

^cBP Statistical Review of World Energy, June 2004. Data include crude oil, gas condensate, and natural gas liquids. World total is 1,146 × 10⁹ bbl.

^dOil and Gas Journal, December 23, 2002.

Table 2.7 Estimated Worldwide Coal Proved Reserves

Country	Amount (10 ⁹ tonnes)	Percentage of World Total	R/P ratio (years)
United States	250	25	260
Former Soviet Union	230	23	≥500
Europe	138	14	300
China	115	12	70
Australia	82	8.3	240
Africa	55	5.6	230
South and Central America	22	2.2	350
North America (not incl. U.S.)	7.7	0.8	110
World total	984	100	192

Proved reserves are the amount recoverable from known deposits under existing economic and operating conditions.

The reserves-to-production (R/P) ratio is the number of years that the remaining proved reserves would last if production continues at the present level.

Source: BP Global Reports, December 2004. Reserves data from World Energy Council.


OLD info: out of date

Table 2.9 Conventional Fossil Fuels in the United States

Type	Remaining ^a	Energy Content (QBtu)	Percent
Petroleum	134×10^9 bbl	780	9
Natural Gas	871 tcf	900	10
Coal	275×10^9 ton	7300	81

^aThe remaining petroleum and natural gas includes both the proved reserves and the undiscovered recoverable resource shown in Figures 2.2 and 2.6. For coal, the remaining amount is the proved reserves recoverable from known deposits under existing economic and operating conditions shown in Table 2.7. (Note: 1 tonne = 1.10 ton.)

Cumulative British Coal Production



- Pre-war lms fit (1854-1945, ultimate 25.6Gt, mean 1920, sd 41 years)
- Post-war lms fit (1946-2006, ultimate 27.2Gt, mean 1927, sd 39 years)

